

Contents

POSTER DISCUSSIONS

Biomedical Sensors

- A new multi-frequency microwave radiometer for medical operation 291
P. Tognolatti, R. Giusto and F. Bardati (Rome, Italy)

Technology of Fabrication

- Fabrication of microchannels by laser machining and anisotropic etching of silicon 299
M. Alavi, S. Büttgenbach, A. Schumacher and H.-J. Wagner (Stuttgart, FRG)
- High-density silicon nitride thin film in PECVD. 303
B. Reynes and J. C. Bruyère (Grenoble, France)
- Preparation of well-engineered thin molecular layers on semiconductor-based transducers. 307
N. Jaffrezic-Renault and C. Martelet (Ecully, France)
- Sensing properties of polypyrrole-polytetrafluoroethylene composite thin films from granular metal-polymer precursors 313
P. Bruschi, F. Cacialli and A. Nannini (Pisa, Italy)

Capacitance-Based Sensors

- A heated membrane for a capacitive gas sensor. 321
P. Hille and H. Strack (Darmstadt, FRG)
- Controlled selectivity of polysiloxane coatings: their use in capacitance sensors 326
M. Haug, K. D. Schierbaum, W. Göpel (Tübingen, FRG), H. E. Endres and S. Drost (Munich, FRG)

Technology of Chemical Sensors

- A study of a high-pressure micropump for integrated chemical analyzing systems 335
S. Shoji, M. Esashi (Sendai, Japan), B. van der Schoot and N. de Rooij (Neuchâtel, Switzerland)
- Low-temperature silicon wafer bonding. 340
H. J. Quenzer and W. Benecke (Berlin, Germany)

Test and Characterization

- Analysis by FT-IR spectroscopy of SiO₂-polycrystalline Si structures used in micromechanics: stress measurements 347
J. Samitier, S. Marco, O. Ruiz, J. R. Morante (Barcelona, Spain), J. Esteve-Tinto and J. Bausells (Bellaterra, Spain)
- Use of the electroreflectance technique in Pt/GaAs Schottky barrier sensor characterization 354
L. M. Lechuga, G. Armelles, A. Calle, D. Golmayo and F. Briones (Madrid, Spain)
- SiO₂ electrets for electric-field generation in sensors and actuators 357
P. Günther (Darmstadt, Germany)
- A transducer modelling technique for the identification of the transfer function and driving-point impedance 361
S. Rocchi, L. Capineri, L. Masotti and M. Rinieri (Florence, Italy)
- Processing high-quality silicon for microstrip detectors. 366
F. Nava, G. Ottaviani, R. Tonini, S. Frabboni, A. Alberigi Quaranta, P. Cantoni, P. L. Frabetti, L. Stagni (Bologna, Italy), G. Queirolo (Milan, Italy) and P. F. Manfredi (Pavia, Italy)

Acceleration Sensors

- Damping of piezoresistive silicon accelerometers. 375
T. Tschan, N. de Rooij (Neuchâtel, Switzerland) and A. Bezingue (Bevaix, Switzerland)
- Design considerations for the thermal accelerometer. 380
R. Hiratsuka, D. C. van Duyn, T. Otaredian, P. de Vries and P. M. Sarro (Delft, Netherlands)

Infrared Sensors

High-speed sensitive thermovoltaic IR detectors	389
S. Marchetti and R. Simili (Pisa, Italy)	
Pure and calcium-modified lead titanate ceramics for pyroelectric sensors	393
J. de Frutos and B. Jiménez (Madrid, Spain)	
An integrated infrared sensor using the pyroelectric polymer PVDF	396
P. C. A. Hammes and P. P. L. Regtien (Delft, Netherlands)	
A free-standing microthermopile infrared detector	403
T. A. S. Srinivas, P. J. Timans, R. J. Butcher and H. Ahmed (Cambridge, UK)	
Implanted homojunctions on LPE HgCdTe	407
S. Bernardi (L'Aquila, Italy), F. Cesqui, R. Liberati and M. E. Marini (Rome, Italy)	

Thermal Sensors

Finite-element modelling of thermoelectric materials and devices	413
D. C. van Duyn and P. J. A. Munter (Delft, Netherlands)	
The effect of process parameter variation on polysilicon temperature transducer characteristics	419
O. Zucker, W. Langheinrich and J. Meyer (Darmstadt, FRG)	
Thin-film bolometer for high-frequency metrology	423
L. Brunetti (Turin, Italy)	

Optimal Sensors and Imaging

Minority carrier diffusion length effects on light-addressable potentiometric sensor (LAPS) devices	431
M. Sartore, M. Adami, C. Nicolini (Genoa, Italy), L. Bousse, S. Mostarshed and D. Hafeman (Menlo Park, CA, USA)	
CdSe-based thin-film integrated optical sensors	437
J. Capon, J. De Baets, I. De Rycke, H. De Smet, J. Doutreloigne, A. Van Calster and J. Vanfleteren (Ghent, Belgium)	
Colour measurement system for the testing of an integrated silicon colour sensor	442
E. J. Blaauw, G. de Graaf and R. F. Wolffenbuttel (Delft, Netherlands)	

High-Energy Radiation Sensors

New development of HgI ₂ X-ray and soft gamma ray detector for synchrotron radiation research and dosimetry applications	455
G. Gervino and E. Monticone (Turin, Italy)	
Radiation sensor based on inorganic scintillator with fibre readout for high energy radiography	464
M. Laguesse (Gif sur Yvette, France and Liège, Belgium) and M. Bourdinaud (Gif sur Yvette, France)	
A UV-sensitive CCD detector array based on charge-induced depletion layers	470
J. Kothe and W. von Münch (Stuttgart, FRG)	
Gaseous sensors based on solid proton conductors	476
J. Kleperis, G. Bajars, G. Vaivars, A. Kranevskis and A. Lusiš (Riga, Latvia)	
Silicon ultraviolet photodetectors	480
V. M. Arutyunyan and G. K. Berberian (Yerevan, Armenia)	

Data Processing

Specialized hardwired board for processing data provided by force sensors used in robotics	487
P. di Giacomo (Grenoble, France)	
Data structures for multi-sensor integration	491
A. Ruiz, D. Guinea, L. J. Barrios, P. Bustos and F. Betancourt (Madrid, Spain)	
The integrated sensor bus interface in silicon based on the RS-422-A standard	499
M. J. Rutka and R. F. Wolffenbuttel (Delft, Netherlands)	
Pattern recognition from sensor arrays: theoretical considerations	507
F. A. M. Davide (L'Aquila, Italy) and A. D'Amico (Rome, Italy)	

Mechanical Sensors

- A simulation tool for mechanical sensor design 521
 B. Folkmer, H. L. Offereins, H. Sandmaier, W. Lang, A. Seidl (Munich, FRG), P. Groth and R. Pressmar (Reutlingen, FRG)
- Dielectric induction micromotors: field levitation and torque-frequency characteristics 525
 G. Fuhr, R. Hagedorn, T. Müller, W. Benecke, U. Schnakenberg and B. Wagner (Berlin, Germany)
- Force and moment measurement on a robotic assembly hand. 531
 A. Romiti and M. Sorli (Turin, Italy)
- Large-bandwidth reflection fiber-optic sensors for turbomachinery rotor blade diagnostics 539
 L. Andrenelli, N. Paone and G. Rossi (Ancona, Italy)

Acoustic and Ultrasonic Sensors

- Ultrasonic sensors for an energy-saving system. 545
 B. Bitzer and U. Lamotte (Soest, FRG)
- Digital techniques improve range measurement with ultrasound sensor 550
 S. Ros, J. M. Martín Abreu, T. Freire and L. Calderon (Madrid, Spain)
- A silicon subminiature microphone based on piezoresistive polysilicon strain gauges. 555
 R. Schellin and G. Hess (Darmstadt, FRG)
- Micromachined subminiature condenser microphones in silicon. 560
 W. Kühnel and G. Hess (Darmstadt, FRG)

Resonant Sensors

- Activation and detection of mechanical vibrations in piezoelectric beams 567
 J. Söderkvist (Uppsala and Täby, Sweden)

Displacement Sensors

- Non-contact absolute position measurement using a compact disc player optical pick-up. 575
 C. During, S. Andersson and J. Wilkander (Stockholm, Sweden)
- Linear variable differential transformer (LVDT): linear displacement transducer utilizing ferromagnetic amorphous metallic glass ribbons. 582
 T. Meydan and G. W. Healey (Cardiff, UK)
- Diffractional and coherence effects in linear moiré displacement sensors 588
 P. M. Mejías and R. Martínez-Herrero (Madrid, Spain)
- Optical angular displacement sensor with high resolution integrated in silicon. 591
 T. A. Kwa and R. F. Wolffenbuttel (Delft, Netherlands)
- Microactuators with moving magnets for linear, torsional or multiaxial motion 598
 B. Wagner, W. Benecke, G. Engelmann and J. Simon (Berlin, FRG)
- Superconductor-semiconductor hybrid cryogenic liquid-level sensor of enhanced sensitivity 604
 A. Uusimäki, S. Leppävuori (Oulu, Finland), T. Porjesz and I. Kirschner (Budapest, Hungary)

Pressure Sensors

- Comparison of SiO_x and polyimide as a dielectric layer on stainless steel in thin-film pressure sensor manufacture 611
 T. Bravo, A. Tersalvi and A. Tosi (Provaglio d'Iseo, Italy)
- Transient response of capacitive pressure sensors 616
 P. Pons and G. Blasquez (Toulouse, France)
- Dynamic properties of pressure sensors based on AlGaAs films 622
 S. Žilionis, K. Pyragas and G. Tautvaišas (Vilnius, Lithuania)
- Silicon optical pressure sensor. 628
 J. A. Dziuban, A. Gorecka-Drzazga and U. Lipowicz (Wroclaw, Poland)
- Optical pressure sensors based on semiconductor quantum wells. 632
 W. Trzeciakowski, P. Perlin, H. Teisseyre, E. Kamińska (Warsaw, Poland), C. A. Mendonca, M. Micovic and P. Ciepielewski (Trieste, Italy)

A capacitively excited and detected resonant pressure sensor with temperature compensation	639
E. Stemme and G. Stemme (Gothenburg, Sweden)	
Magnetic Sensors	
GaAs Hall sensors made by the MOCVD technique.	651
R. Campesato, C. Flores (Segrate, Italy), A. Passaseo and S. Verni (Mesagne, Italy)	
Si MAGFETs optimized for sensitivity and noise properties.	656
N. Mathieu, P. Giordano and A. Chovet (Grenoble, France)	
Circular magnetometer.	661
C. Roumenin and V. Dorovska (Sofia, Bulgaria)	
Hybrid thick-film magnetoresistive sensors.	665
G. F. Cirri, A. Matucci, M. Minucci (Florence, Italy), G. De Cicco, B. Morten and M. Prudenziati (Modena, Italy)	
Magnetic-field sensors for non-disturbing and wide-band measurements	671
P. I. Nikitin, A. N. Grigorenko, O. L. Sokol-Kutilovsky, A. K. Zvezdin and M. K. Zvezdin (Moscow, Russia)	
Inductive transducers with magnetic fluids.	678
I. De Sabata, N. C. Popa, I. Potencz and L. Vékás (Timișoara, Romania)	
Noise and resolution of semiconductor integrated magnetic sensors.	682
A. Chovet and N. Mathieu (Grenoble, France)	
Optical Fibre Sensors	
Polychromatic birefringence sensing for optical fibre monitoring of surface strain.	691
M. M. Murphy and G. R. Jones (Liverpool, UK)	
An optical fibre vortex sensor for flowrate measurements	696
J. P. Herzog (Stutensee, FRG)	
Automatization of an optical fibre refractometer	701
M. Archenault, R. Fouquet and H. Gagnaire (Saint Etienne, France)	
Temperature characteristics of an all-fibre optically addressed silicon microresonator sensor	706
Y. J. Rao, D. Walsh, D. Uttamchandani and B. Culshaw (Glasgow, UK)	
A compact optical chemical sensor based on surface plasmon interrogation	710
L. De Maria and M. Martinelli (Milan, Italy)	
Author Index of Volumes A31 and A32	713
Subject Index of Volumes A31 and A32	715

